മിസ്റ്റർ പി. ഗോവിന്ദമേനോൻ: സ്റ്റാറിസ്റ്റിക്സ് അറിയാനായിട്ട് അതിനെ സംബന്ധിച്ചു നേരത്തേ ഒരു ചോദ്യം ചോദിച്ചിരുന്നുവെങ്കിൽ അറിഞ്ഞു മറുപടി പറയുവാൻ പ്രയാസമുണ്ടാകുമായിരുന്നില്ല.

SPINDLES ALLOTTED TO THE STATE

445. മിസ്റ്റർ പി. വി. സബാസ്റ്റ്യൻ: താഴെ പറയുന്ന ചോദ്യങ്ങൾക്കു ബഹുമാനപ്പെട്ട ഗവണ്മെണ്ടു സദയം മറുപടി പറയുമോ.—

(എ) കൊച്ചിക്കു് അനുവദിക്കപ്പെട്ടിട്ടുള്ള സ്പിൻഡിലുകൾ എത്ര;

(ബി) ഈ കോട്ടാ വർദ്ധിപ്പിക്കണമെന്നു ഗവണ്മെണ്ടു് ഇൻഡ്യാഗവണ്മെണ്ടിനോടു നിവേദനംചെയ്തിട്ടുണ്ടോ;

(സി) ഉണ്ടെങ്കിൽ അതിനു വല്ല മറുപടിയുമുണ്ടായോ?

മിസ്റ്റർ സി. ആർ. ഇയ്യുണ്ണി:

(എ) പുതിയ മില്ലുകൾ തുടങ്ങുന്നതിനു് ൨,൦൦൦ കോഴ"സ്" സ്പിൻഡിലുകളും നിലവിലുള്ള മില്ലുകൾ വികസിപ്പിക്കുന്നതിനു് ൯,൭൦൦ ഫൈൻ സ്പിൻഡിലുകളും അനുവദിക്കപ്പെട്ടിട്ടുണ്ടു്.

(ബി) ഉണ്ടു്.

(സി) വർദ്ധിപ്പിക്കുവാൻ സാദ്ധ്യമല്ലെന്നു മറുപടിയുണ്ടായി.

CERTAIN FIELDS IN CHOONDAL AND KANDANASSERI VILLAGES—CONVERSION INTO DOUBLE-CROP LANDS

446. **Mr. Paramel Ipe Ipe** *(Kunnamkulam):* Will Government be pleased to state.—

(*a*) whether the 2,000 paras of seed sowing single crop lands of (Kandikulam padam) lying between Choondal and Kandanasseri Villages in the Talappalli Taluk could be converted into double crop by digging a thodu through those fields;

(*b*) whether there were petitions by the local people for the above purpose;

(*c*) whether this scheme has been examined;

(*d*) if so, when and by whom;

(*e*) whether any report has been submitted and if so, what does that report recommend?

Rao Sahib K. Ayyappan *(Minister for Public Works):*

(*a*) Yes.

(*b*) Yes.

(*c*) Yes.

(*d*) In 1115 by Assistant Engineer Mr. K. B. Menon
In 1117 by Assistant Engineer Mr. M. D. Narayana Ayyar.
In 1120 by Assistant Engineer Mr. K. Neelakantan.
In 1121 by Assistant Engineer Mr. T. P. Joseph.

(*e*) The matter was under the consideration of the Irrigation Board. The Irrigation Board has recommended in Vrischigam that the work may be taken up. A detailed report with cost has accordingly been called for from the Chief Engineer.

Mr. Paramel Ipe Ipe *(Kunnamkulam):* May I know why this scheme was got examined over and over again by different Engineers?

Rao Sahib K. Ayyappan *(Minister for Public Works):* In all the years investigation was conducted; perhaps in the first year investigation was not complete.

Mr. Paramel Ipe Ipe *(Kunnamkulam):* Is there any prospect of this scheme being worked in the near future?

Rao Sahib K. Ayyappan *(Minister for Public Works):* Yes. That is why detailed cost report has been called for.

Mr. K. S. Panicker *(Ezhuvas-Trichur):* In answer to sub-division (*e*), it is said "The matter was under the consideration of the Irrigation Board. The Irrigation Board has recommended in Vrischigam that the work may be taken up". ഏതു വൃശ്ചികത്തിലാണു"?

Rao Sahib K. Ayyappan *(Minister for Public Works):* This Vrischigam.

മിസ്റ്റർ കെ. എസ്സു്. പണിക്കർ: ചീഫ് ഇറിഗേഷൻ റിപ്പോർട്ട് സമർപ്പിച്ചിട്ടില്ലേ?

Rao Sahib K. Ayyappan *(Minister for Public Works):* I want notice to say whether it was submitted in 1121.

Mr. P. Kumaran Ezhuthassan *(Vadakkancheri):* May I know, Sir, when the detailed report was called for?

LIBRARY ARCHIVES Kerala Legislative Assembly